

**DESCRIPCIÓN:**

- Dosificador de jabón líquido rellenable 1.1l tipo superficie, línea PREMIUM.
- Fabricado en SAN y ABS, pintado en color acero líquido, con aditivo "Antiestático" para repeler el polvo.
- Dispensación manual, accionando el pulsador visible a conveniencia.
- Válvula anti-goteo y resistente a la corrosión; fabricada en PA, con junta quadring de silicona y bola de acero inoxidable AISI 316.
- Cierre con cerradura y llave de seguridad.
- Recomendado para lavabos de alta frecuencia de paso. Especial colectividades.
- Ranura para visualización de contenido.
- Depósito fabricado en SAN transparente para mejor visualización del producto interior.


**CARACTERÍSTICAS TÉCNICAS**

• **DIMENSIONES (mm):** 225x130x95      • **PESO (kg):** 0,36

• **COLOR:** Base gris; tapa y pulsador, pintados en color acero líquido.  
 • **MATERIAL:** SAN y ABS antiestático.

• **TIPO DE JABÓN ADMISIBLE:** Jabón higiénico para manos líquido. Admite soluciones desinfectantes, como gel Hidroalcohólico.

• **FIJACIÓN A LA PARED:** Por medio de tornillos y tacos incluidos. Admite adhesivo (no incluido).

• **CAPACIDAD (l):** 1,1

• **DOSIFICACIÓN POR PULSACIÓN (ml):** 1,2-1,3

• **PRESIÓN PARA PULSACIÓN (kg):** 2,3

• **ACCESORIOS:** Bolsita con llave especial y 3 tacos y tornillos.

• **ALTURA DE INSTALACIÓN (m):** 1,30-1,60 a punto inferior.

**EMBALAJE UNITARIO**

• **ALTO (mm):** 230

• **ANCHO (mm):** 135

• **FONDO (mm):** 100

• **PESO (kg):** 0,4

**REEMBALAJE (12 UDS.)**

• **ALTO (mm):** 250

• **ANCHO (mm):** 280

• **FONDO (mm):** 606

• **PESO (kg):** 5,4

**PALET**

• **BASE (cm):** 120x80    • **ALTURA (cm):** 220

**UNIDADES POR PALET**

• **BASE:** 6 cajas (12 uds.)    • **FILAS:** 7

• **CAJAS:** 42

• **UNIDADES:** 504

**DESCRIPTION:**

- Bulk liquid soap dispenser 1.1l wall mounted, I-NOVA range.
- Made in antistatic SAN and ABS plastic to prevent the dust.
- Depot made in SAN plastic clear for viewing content.
- Push-button operated.
- Anti-grip valve and corrosion resistance; made in PA plastic with silicone quadring joint and stainless steel AISI 316 ball.
- Closing systems with lock and security key.
- Recommended for high traffic facilities and for public use.
- Slot for viewing content.


**TECHNICAL CHARACTERISTICS**

• DIMENSIONS (mm): 225x130x95

• WEIGHT (kg): 0,39

• COLOR: Liquid steel paint.

• MATERIAL: Antistatic SAN and ABS plastic.

• TYPE OF SOAP: Liquid hygiene hand soap. Support disinfectant solutions, like Hydroalcoholic gel.

• WALL MOUNTING: By set screws and anchors included. Support adhesive installation (not included).

• VOLUME (l): 1,1

• DOSING PULSATION (ml): 1,2-1,3

• PRESSURE PULSATION (kg): 2,3

• ACCESSORIES: Bag with special key, 3 anchors and screws.

• RECOMMENDED MOUNTING HEIGHT (m): 1,30-1,60 to lowest point.

**UNITARY PACKAGE**

• HEIGHT (mm): 230

• WIDTH (mm): 130

• LENGHT (mm): 95

• WEIGHT (kg): 0,43

**EXTERNAL PACKAGE (12 PIECES)**

• HEIGHT (mm): 235

• WIDTH (mm): 275

• LENGHT (mm): 606

• WEIGHT (kg): 5,59

**PALLET**

• BASE (cm): 120x80 • HEIGHT (cm): 220

**PIECES PER PALLET**

• BASE: 5 packages (12 pieces) • ROWS: 7

• PACKAGES: 35

• PIECES: 420

CLAR SYSTEMS S.L reserves the right to carry out improvements or to include modifications to these products without prior notice.


